






Technical drawing of a mechanical part, likely a flange or mounting plate, showing a datum edge and a dimension of 88.

The drawing is a top view of a circular component with a hexagonal outer edge. A horizontal dimension line at the top indicates a width of 88. A vertical dashed line represents the center axis. The component features several concentric circles and a central hexagonal hole. A datum edge is indicated by a horizontal line on the right side, with a dimension of 7 shown below it. The text "Datum Edge" is written below the drawing, with an arrow pointing to the datum edge line.





Accessories:ER Nut
Hook wrench
Open wrench(10,34)




△								APPEARANCE SIZE Figure SN70			1		SN70		
△							料 號		名 稱	材 質	數 量	機 種		編 號	
編號	更 改 內 容				更 改 者	日 期	審 核		第 三 角 法	比 例	1 : 4	單 位		M.M.	
一 般 公 差	公稱尺寸	1~4	4~16	16~63	63~250	250~1000	設 計	吳 易 典	106.09.08	凱程功陽精密機械股份有限公司			圖 號	SN70-ER32-01(E)	
	公 差	±0.1	±0.2	±0.3	±0.5	±0.8	製 圖	陳 冠 名	106.09.08						

加工精度	
------	--



Use collet	ER32
Reduction Ration	1 : 1
Max Torque	30N.m
Max Revoling	3000rpm
Main Spindle Steering	Right Turn
Lubricating oll type	Grease lubrication
weight	14kg

Accessories:ER Nut
Hook wrench
Open wrench(10,34)



△									SN70 Dimensions		1		SN70		
△							料 號		名 稱		材 質		機 種		編 號
編號	更 改 內 容				更 改 者	日 期	審 核		第 三 角 法		比 例		1 : 2.5		單 位
一 般 公 差	公稱尺寸	1~4	4~16	16~63	63~250	250~1000	設 計	吳 易 典	106.09.08	凱程功陽精密機械股份有限公司			圖 號	SN70-ER32-02(E)	
	公 差	±0.1	±0.2	±0.3	±0.5	±0.8	製 圖	吳 易 典	106.09.08						